

# Reference Tables for Physical Setting/CHEMISTRY

## 2011 Edition

**Table A**  
**Standard Temperature and Pressure**

Name	Value	Unit
Standard Pressure	101.3 kPa 1 atm	kilopascal atmosphere
Standard Temperature	273 K 0°C	kelvin degree Celsius

**Table B**  
**Physical Constants for Water**

Heat of Fusion	334 J/g
Heat of Vaporization	2260 J/g
Specific Heat Capacity of H <sub>2</sub> O(ℓ)	4.18 J/g•K

**Table C**  
**Selected Prefixes**

Factor	Prefix	Symbol
10 <sup>3</sup>	kilo-	k
10 <sup>-1</sup>	deci-	d
10 <sup>-2</sup>	centi-	c
10 <sup>-3</sup>	milli-	m
10 <sup>-6</sup>	micro-	μ
10 <sup>-9</sup>	nano-	n
10 <sup>-12</sup>	pico-	p

**Table D**  
**Selected Units**

Symbol	Name	Quantity
m	meter	length
g	gram	mass
Pa	pascal	pressure
K	kelvin	temperature
mol	mole	amount of substance
J	joule	energy, work, quantity of heat
s	second	time
min	minute	time
h	hour	time
d	day	time
y	year	time
L	liter	volume
ppm	parts per million	concentration
M	molarity	solution concentration
u	atomic mass unit	atomic mass

**Table E**  
**Selected Polyatomic Ions**


Formula	Name	Formula	Name
$\text{H}_3\text{O}^+$	hydronium	$\text{CrO}_4^{2-}$	chromate
$\text{Hg}_2^{2+}$	mercury(I)	$\text{Cr}_2\text{O}_7^{2-}$	dichromate
$\text{NH}_4^+$	ammonium	$\text{MnO}_4^-$	permanganate
$\left. \begin{array}{l} \text{C}_2\text{H}_3\text{O}_2^- \\ \text{CH}_3\text{COO}^- \end{array} \right\}$	acetate	$\text{NO}_2^-$	nitrite
$\text{CN}^-$	cyanide	$\text{NO}_3^-$	nitrate
$\text{CO}_3^{2-}$	carbonate	$\text{O}_2^{2-}$	peroxide
$\text{HCO}_3^-$	hydrogen carbonate	$\text{OH}^-$	hydroxide
$\text{C}_2\text{O}_4^{2-}$	oxalate	$\text{PO}_4^{3-}$	phosphate
$\text{ClO}^-$	hypochlorite	$\text{SCN}^-$	thiocyanate
$\text{ClO}_2^-$	chlorite	$\text{SO}_3^{2-}$	sulfite
$\text{ClO}_3^-$	chlorate	$\text{SO}_4^{2-}$	sulfate
$\text{ClO}_4^-$	perchlorate	$\text{HSO}_4^-$	hydrogen sulfate
		$\text{S}_2\text{O}_3^{2-}$	thiosulfate

**Table F**  
**Solubility Guidelines for Aqueous Solutions**


Ions That Form Soluble Compounds	Exceptions	Ions That Form Insoluble Compounds*	Exceptions
Group 1 ions ( $\text{Li}^+$ , $\text{Na}^+$ , etc.)		carbonate ( $\text{CO}_3^{2-}$ )	when combined with Group 1 ions or ammonium ( $\text{NH}_4^+$ )
ammonium ( $\text{NH}_4^+$ )		chromate ( $\text{CrO}_4^{2-}$ )	when combined with Group 1 ions, $\text{Ca}^{2+}$ , $\text{Mg}^{2+}$ , or ammonium ( $\text{NH}_4^+$ )
nitrate ( $\text{NO}_3^-$ )		phosphate ( $\text{PO}_4^{3-}$ )	when combined with Group 1 ions or ammonium ( $\text{NH}_4^+$ )
acetate ( $\text{C}_2\text{H}_3\text{O}_2^-$ or $\text{CH}_3\text{COO}^-$ )		sulfide ( $\text{S}^{2-}$ )	when combined with Group 1 ions or ammonium ( $\text{NH}_4^+$ )
hydrogen carbonate ( $\text{HCO}_3^-$ )		hydroxide ( $\text{OH}^-$ )	when combined with Group 1 ions, $\text{Ca}^{2+}$ , $\text{Ba}^{2+}$ , $\text{Sr}^{2+}$ , or ammonium ( $\text{NH}_4^+$ )
chlorate ( $\text{ClO}_3^-$ )			
halides ( $\text{Cl}^-$ , $\text{Br}^-$ , $\text{I}^-$ )	when combined with $\text{Ag}^+$ , $\text{Pb}^{2+}$ , or $\text{Hg}_2^{2+}$		
sulfates ( $\text{SO}_4^{2-}$ )	when combined with $\text{Ag}^+$ , $\text{Ca}^{2+}$ , $\text{Sr}^{2+}$ , $\text{Ba}^{2+}$ , or $\text{Pb}^{2+}$		

\*compounds having very low solubility in  $\text{H}_2\text{O}$

**Table G**  
**Solubility Curves at Standard Pressure**



**Table H**  
**Vapor Pressure of Four Liquids**



**Table I**  
**Heats of Reaction at 101.3 kPa and 298 K**

Reaction	$\Delta H$ (kJ)*
$\text{CH}_4(\text{g}) + 2\text{O}_2(\text{g}) \longrightarrow \text{CO}_2(\text{g}) + 2\text{H}_2\text{O}(\ell)$	-890.4
$\text{C}_3\text{H}_8(\text{g}) + 5\text{O}_2(\text{g}) \longrightarrow 3\text{CO}_2(\text{g}) + 4\text{H}_2\text{O}(\ell)$	-2219.2
$2\text{C}_8\text{H}_{18}(\ell) + 25\text{O}_2(\text{g}) \longrightarrow 16\text{CO}_2(\text{g}) + 18\text{H}_2\text{O}(\ell)$	-10943
$2\text{CH}_3\text{OH}(\ell) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g}) + 4\text{H}_2\text{O}(\ell)$	-1452
$\text{C}_2\text{H}_5\text{OH}(\ell) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g}) + 3\text{H}_2\text{O}(\ell)$	-1367
$\text{C}_6\text{H}_{12}\text{O}_6(\text{s}) + 6\text{O}_2(\text{g}) \longrightarrow 6\text{CO}_2(\text{g}) + 6\text{H}_2\text{O}(\ell)$	-2804
$2\text{CO}(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{CO}_2(\text{g})$	-566.0
$\text{C}(\text{s}) + \text{O}_2(\text{g}) \longrightarrow \text{CO}_2(\text{g})$	-393.5
$4\text{Al}(\text{s}) + 3\text{O}_2(\text{g}) \longrightarrow 2\text{Al}_2\text{O}_3(\text{s})$	-3351
$\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{NO}(\text{g})$	+182.6
$\text{N}_2(\text{g}) + 2\text{O}_2(\text{g}) \longrightarrow 2\text{NO}_2(\text{g})$	+66.4
$2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{H}_2\text{O}(\text{g})$	-483.6
$2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \longrightarrow 2\text{H}_2\text{O}(\ell)$	-571.6
$\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \longrightarrow 2\text{NH}_3(\text{g})$	-91.8
$2\text{C}(\text{s}) + 3\text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_6(\text{g})$	-84.0
$2\text{C}(\text{s}) + 2\text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_4(\text{g})$	+52.4
$2\text{C}(\text{s}) + \text{H}_2(\text{g}) \longrightarrow \text{C}_2\text{H}_2(\text{g})$	+227.4
$\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \longrightarrow 2\text{HI}(\text{g})$	+53.0
$\text{KNO}_3(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{K}^+(\text{aq}) + \text{NO}_3^-(\text{aq})$	+34.89
$\text{NaOH}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Na}^+(\text{aq}) + \text{OH}^-(\text{aq})$	-44.51
$\text{NH}_4\text{Cl}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{NH}_4^+(\text{aq}) + \text{Cl}^-(\text{aq})$	+14.78
$\text{NH}_4\text{NO}_3(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{NH}_4^+(\text{aq}) + \text{NO}_3^-(\text{aq})$	+25.69
$\text{NaCl}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Na}^+(\text{aq}) + \text{Cl}^-(\text{aq})$	+3.88
$\text{LiBr}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{Li}^+(\text{aq}) + \text{Br}^-(\text{aq})$	-48.83
$\text{H}^+(\text{aq}) + \text{OH}^-(\text{aq}) \longrightarrow \text{H}_2\text{O}(\ell)$	-55.8

\*The  $\Delta H$  values are based on molar quantities represented in the equations. A minus sign indicates an exothermic reaction.

**Table J**  
**Activity Series\*\***

Most Active	Metals	Nonmetals	Most Active
↓	Li	$\text{F}_2$	↓
	Rb	$\text{Cl}_2$	
	K	$\text{Br}_2$	
	Cs	$\text{I}_2$	
	Ba		
	Sr		
	Ca		
	Na		
	Mg		
	Al		
	Ti		
	Mn		
	Zn		
	Cr		
	Fe		
	Co		
	Ni		
	Sn		
	Pb		
	$\text{H}_2$		
Cu			
Ag			
Au			
Least Active			Least Active

\*\*Activity Series is based on the hydrogen standard.  $\text{H}_2$  is *not* a metal.

**Table K**  
**Common Acids**

Formula	Name
HCl(aq)	hydrochloric acid
HNO <sub>2</sub> (aq)	nitrous acid
HNO <sub>3</sub> (aq)	nitric acid
H <sub>2</sub> SO <sub>3</sub> (aq)	sulfurous acid
H <sub>2</sub> SO <sub>4</sub> (aq)	sulfuric acid
H <sub>3</sub> PO <sub>4</sub> (aq)	phosphoric acid
H <sub>2</sub> CO <sub>3</sub> (aq) or CO <sub>2</sub> (aq)	carbonic acid
CH <sub>3</sub> COOH(aq) or HC <sub>2</sub> H <sub>3</sub> O <sub>2</sub> (aq)	ethanoic acid (acetic acid)

**Table L**  
**Common Bases**

Formula	Name
NaOH(aq)	sodium hydroxide
KOH(aq)	potassium hydroxide
Ca(OH) <sub>2</sub> (aq)	calcium hydroxide
NH <sub>3</sub> (aq)	aqueous ammonia

**Table M**  
**Common Acid–Base Indicators**

Indicator	Approximate pH Range for Color Change	Color Change
methyl orange	3.1–4.4	red to yellow
bromthymol blue	6.0–7.6	yellow to blue
phenolphthalein	8–9	colorless to pink
litmus	4.5–8.3	red to blue
bromocresol green	3.8–5.4	yellow to blue
thymol blue	8.0–9.6	yellow to blue

Source: *The Merck Index*, 14<sup>th</sup> ed., 2006, Merck Publishing Group

**Table N**  
**Selected Radioisotopes**

Nuclide	Half-Life	Decay Mode	Nuclide Name
<sup>198</sup> Au	2.695 d	β <sup>-</sup>	gold-198
<sup>14</sup> C	5715 y	β <sup>-</sup>	carbon-14
<sup>37</sup> Ca	182 ms	β <sup>+</sup>	calcium-37
<sup>60</sup> Co	5.271 y	β <sup>-</sup>	cobalt-60
<sup>137</sup> Cs	30.2 y	β <sup>-</sup>	cesium-137
<sup>53</sup> Fe	8.51 min	β <sup>+</sup>	iron-53
<sup>220</sup> Fr	27.4 s	α	francium-220
<sup>3</sup> H	12.31 y	β <sup>-</sup>	hydrogen-3
<sup>131</sup> I	8.021 d	β <sup>-</sup>	iodine-131
<sup>37</sup> K	1.23 s	β <sup>+</sup>	potassium-37
<sup>42</sup> K	12.36 h	β <sup>-</sup>	potassium-42
<sup>85</sup> Kr	10.73 y	β <sup>-</sup>	krypton-85
<sup>16</sup> N	7.13 s	β <sup>-</sup>	nitrogen-16
<sup>19</sup> Ne	17.22 s	β <sup>+</sup>	neon-19
<sup>32</sup> P	14.28 d	β <sup>-</sup>	phosphorus-32
<sup>239</sup> Pu	2.410 × 10 <sup>4</sup> y	α	plutonium-239
<sup>226</sup> Ra	1599 y	α	radium-226
<sup>222</sup> Rn	3.823 d	α	radon-222
<sup>90</sup> Sr	29.1 y	β <sup>-</sup>	strontium-90
<sup>99</sup> Tc	2.13 × 10 <sup>5</sup> y	β <sup>-</sup>	technetium-99
<sup>232</sup> Th	1.40 × 10 <sup>10</sup> y	α	thorium-232
<sup>233</sup> U	1.592 × 10 <sup>5</sup> y	α	uranium-233
<sup>235</sup> U	7.04 × 10 <sup>8</sup> y	α	uranium-235
<sup>238</sup> U	4.47 × 10 <sup>9</sup> y	α	uranium-238

Source: *CRC Handbook of Chemistry and Physics*, 91<sup>st</sup> ed., 2010–2011, CRC Press

**Table O**  
**Symbols Used in Nuclear Chemistry**

Name	Notation	Symbol
alpha particle	${}^4_2\text{He}$ or ${}^4_2\alpha$	$\alpha$
beta particle	${}^0_{-1}\text{e}$ or ${}^0_{-1}\beta$	$\beta^-$
gamma radiation	${}^0_0\gamma$	$\gamma$
neutron	${}^1_0\text{n}$	n
proton	${}^1_1\text{H}$ or ${}^1_1\text{p}$	p
positron	${}^0_{+1}\text{e}$ or ${}^0_{+1}\beta$	$\beta^+$

**Table P**  
**Organic Prefixes**

Prefix	Number of Carbon Atoms
meth-	1
eth-	2
prop-	3
but-	4
pent-	5
hex-	6
hept-	7
oct-	8
non-	9
dec-	10

**Table Q**  
**Homologous Series of Hydrocarbons**

Name	General Formula	Examples	
		Name	Structural Formula
alkanes	$\text{C}_n\text{H}_{2n+2}$	ethane	$\begin{array}{c} \text{H} \quad \text{H} \\   \quad   \\ \text{H}-\text{C}-\text{C}-\text{H} \\   \quad   \\ \text{H} \quad \text{H} \end{array}$
alkenes	$\text{C}_n\text{H}_{2n}$	ethene	$\begin{array}{c} \text{H} \quad \quad \text{H} \\ \diagdown \quad \diagup \\ \text{C}=\text{C} \\ \diagup \quad \diagdown \\ \text{H} \quad \quad \text{H} \end{array}$
alkynes	$\text{C}_n\text{H}_{2n-2}$	ethyne	$\text{H}-\text{C}\equiv\text{C}-\text{H}$

**Note:**  $n$  = number of carbon atoms

**Table R**  
**Organic Functional Groups**

Class of Compound	Functional Group	General Formula	Example
halide (halocarbon)	-F (fluoro-) -Cl (chloro-) -Br (bromo-) -I (iodo-)	$R-X$ (X represents any halogen)	$\text{CH}_3\text{CHClCH}_3$ 2-chloropropane
alcohol	-OH	$R-OH$	$\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$ 1-propanol
ether	-O-	$R-O-R'$	$\text{CH}_3\text{OCH}_2\text{CH}_3$ methyl ethyl ether
aldehyde	$\begin{array}{c} \text{O} \\    \\ -\text{C}-\text{H} \end{array}$	$\begin{array}{c} \text{O} \\    \\ R-\text{C}-\text{H} \end{array}$	$\begin{array}{c} \text{O} \\    \\ \text{CH}_3\text{CH}_2\text{C}-\text{H} \end{array}$ propanal
ketone	$\begin{array}{c} \text{O} \\    \\ -\text{C}- \end{array}$	$\begin{array}{c} \text{O} \\    \\ R-\text{C}-R' \end{array}$	$\begin{array}{c} \text{O} \\    \\ \text{CH}_3\text{CCH}_2\text{CH}_2\text{CH}_3 \end{array}$ 2-pentanone
organic acid	$\begin{array}{c} \text{O} \\    \\ -\text{C}-\text{OH} \end{array}$	$\begin{array}{c} \text{O} \\    \\ R-\text{C}-\text{OH} \end{array}$	$\begin{array}{c} \text{O} \\    \\ \text{CH}_3\text{CH}_2\text{C}-\text{OH} \end{array}$ propanoic acid
ester	$\begin{array}{c} \text{O} \\    \\ -\text{C}-\text{O}- \end{array}$	$\begin{array}{c} \text{O} \\    \\ R-\text{C}-\text{O}-R' \end{array}$	$\begin{array}{c} \text{O} \\    \\ \text{CH}_3\text{CH}_2\text{COCH}_3 \end{array}$ methyl propanoate
amine	$\begin{array}{c}   \\ -\text{N}- \end{array}$	$\begin{array}{c} R' \\   \\ R-\text{N}-R'' \end{array}$	$\text{CH}_3\text{CH}_2\text{CH}_2\text{NH}_2$ 1-propanamine
amide	$\begin{array}{c} \text{O} \quad   \\    \quad   \\ -\text{C}-\text{NH} \end{array}$	$\begin{array}{c} \text{O} \quad R' \\    \quad   \\ R-\text{C}-\text{NH} \end{array}$	$\begin{array}{c} \text{O} \\    \\ \text{CH}_3\text{CH}_2\text{C}-\text{NH}_2 \end{array}$ propanamide

**Note:** R represents a bonded atom or group of atoms.



# Periodic Table of the Elements

Period	Group										Group																																											
1	1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18																			
1	1.00794 1 1	+1 <b>H</b> -1																			4.00260 2 2	0 <b>He</b> 0																																
2	6.941 3 2-1	+1 <b>Li</b>	9.01218 4 2-2	+2 <b>Be</b>																			10.81 5 2-3	+3 <b>B</b>	12.011 6 2-4	-4 +2 +4 <b>C</b>	14.0067 7 2-5	+3 +4 +5 +6 +7 <b>N</b>	15.9994 8 2-6	-2 <b>O</b>	18.9984 9 2-7	-1 <b>F</b>	20.180 10 2-8	0 <b>Ne</b>																				
3	22.98977 11 2-8-1	+1 <b>Na</b>	24.305 12 2-8-2	+2 <b>Mg</b>																			26.98154 13 2-8-3	+3 <b>Al</b>	28.0855 14 2-8-4	-4 +2 +4 <b>Si</b>	30.97376 15 2-8-5	+3 +4 +5 <b>P</b>	32.065 16 2-8-6	-2 +4 +6 <b>S</b>	35.453 17 2-8-7	-1 +1 +5 +7 <b>Cl</b>	39.948 18 2-8-8	0 <b>Ar</b>																				
4	39.0983 19 2-8-8-1	+1 <b>K</b>	40.08 20 2-8-8-2	+2 <b>Ca</b>	44.9559 21 2-8-9-2	+3 <b>Sc</b>	47.867 22 2-8-10-2	+2 +3 +4 <b>Ti</b>	50.9415 23 2-8-11-2	+2 +3 +4 +5 <b>V</b>	51.996 24 2-8-13-1	+2 +3 +4 +6 <b>Cr</b>	54.9380 25 2-8-13-2	+2 +3 +4 +7 <b>Mn</b>	55.845 26 2-8-14-2	+2 +3 <b>Fe</b>	58.9332 27 2-8-15-2	+2 +3 <b>Co</b>	58.693 28 2-8-16-2	+2 +3 <b>Ni</b>	63.546 29 2-8-18-1	+1 +2 <b>Cu</b>	65.409 30 2-8-18-2	+2 <b>Zn</b>	69.723 31 2-8-18-3	+3 <b>Ga</b>	72.64 32 2-8-18-4	+2 +4 <b>Ge</b>	74.9216 33 2-8-18-5	-3 +3 +5 <b>As</b>	78.96 34 2-8-18-6	-2 +4 +6 <b>Se</b>	79.904 35 2-8-18-7	-1 +1 +5 <b>Br</b>	83.798 36 2-8-18-8	0 +2 +4 +6 <b>Kr</b>																		
5	85.4678 37 2-8-18-8-1	+1 <b>Rb</b>	87.62 38 2-8-18-8-2	+2 <b>Sr</b>	88.9059 39 2-8-18-9-2	+3 <b>Y</b>	91.224 40 2-8-18-10-2	+4 <b>Zr</b>	92.9064 41 2-8-18-12-1	+3 +5 <b>Nb</b>	95.94 42 2-8-18-13-1	+6 <b>Mo</b>	(98) 43 2-8-18-13-2	+4 +6 +7 <b>Tc</b>	101.07 44 2-8-18-15-1	+3 <b>Ru</b>	102.906 45 2-8-18-16-1	+3 <b>Rh</b>	106.42 46 2-8-18-18	+2 +4 <b>Pd</b>	107.868 47 2-8-18-18-1	+1 <b>Ag</b>	112.41 48 2-8-18-18-2	+2 <b>Cd</b>	114.818 49 2-8-18-18-3	+3 <b>In</b>	118.71 50 2-8-18-18-4	+2 +4 <b>Sn</b>	121.760 51 2-8-18-18-5	-3 +3 +5 <b>Sb</b>	127.60 52 2-8-18-18-6	-2 +4 +6 <b>Te</b>	126.904 53 2-8-18-18-7	-1 +1 +5 +7 <b>I</b>	131.29 54 2-8-18-18-8	0 +2 +4 +6 <b>Xe</b>																		
6	132.905 55 2-8-18-18-8-1	+1 <b>Cs</b>	137.33 56 2-8-18-18-8-2	+2 <b>Ba</b>	138.9055 57 2-8-18-18-9-2	+3 <b>La</b>	178.49 72 *18-32-10-2	+4 <b>Hf</b>	180.948 73 -18-32-11-2	+5 <b>Ta</b>	183.84 74 -18-32-12-2	+6 <b>W</b>	186.207 75 -18-32-13-2	+4 +6 +7 <b>Re</b>	190.23 76 -18-32-14-2	+3 +4 <b>Os</b>	192.217 77 -18-32-15-2	+3 +4 <b>Ir</b>	195.08 78 -18-32-17-1	+2 +4 <b>Pt</b>	196.967 79 -18-32-18-1	+1 +3 <b>Au</b>	200.59 80 -18-32-18-2	+1 +2 <b>Hg</b>	204.383 81 -18-32-18-3	+1 +3 <b>Tl</b>	207.2 82 -18-32-18-4	+2 +4 <b>Pb</b>	208.980 83 -18-32-18-5	+3 +5 <b>Bi</b>	(209) 84 -18-32-18-6	+2 +4 <b>Po</b>	(210) 85 -18-32-18-7	+1 <b>At</b>	(222) 86 -18-32-18-8	0 <b>Rn</b>																		
7	(223) 87 -18-32-18-8-1	+1 <b>Fr</b>	(226) 88 -18-32-18-8-2	+2 <b>Ra</b>	(227) 89 -18-32-18-9-2	+3 <b>Ac</b>	(261) 104 <b>Rf</b>	+4 <b>Db</b>	(262) 105 <b>Sg</b>	(266) 106 <b>Bh</b>	(272) 107 <b>Hs</b>	(277) 108 <b>Mt</b>	(276) 109 <b>Ds</b>	(281) 110 <b>Rg</b>	(280) 111 <b>Cn</b>	(285) 112 <b>Cn</b>	(284) 113** <b>Uut</b>	(289) 114 <b>Uuq</b>	(288) 115 <b>Uup</b>	(292) 116 <b>Uuh</b>	(?) 117 <b>Uus</b>	(294) 118 <b>Uuo</b>																																
																											140.116 58 <b>Ce</b>	+3 +4	140.908 59 <b>Pr</b>	+3	144.24 60 <b>Nd</b>	+3	(145) 61 <b>Pm</b>	+3	150.36 62 <b>Sm</b>	+2 +3	151.964 63 <b>Eu</b>	+2 +3	157.25 64 <b>Gd</b>	+3	158.925 65 <b>Tb</b>	+3	162.500 66 <b>Dy</b>	+3	164.930 67 <b>Ho</b>	+3	167.259 68 <b>Er</b>	+3	168.934 69 <b>Tm</b>	+3	173.04 70 <b>Yb</b>	+2 +3	174.9668 71 <b>Lu</b>	+3
																											232.038 90 <b>Th</b>	+4	231.036 91 <b>Pa</b>	+4 +5	238.029 92 <b>U</b>	+3 +4 +5 +6	(237) 93 <b>Np</b>	+3 +4 +5 +6	(244) 94 <b>Pu</b>	+3 +4 +5 +6	(243) 95 <b>Am</b>	+3 +4 +5 +6	(247) 96 <b>Cm</b>	+3 +4	(247) 97 <b>Bk</b>	+3 +4	(251) 98 <b>Cf</b>	+3	(252) 99 <b>Es</b>	+3	(257) 100 <b>Fm</b>	+3	(258) 101 <b>Md</b>	+2 +3	(259) 102 <b>No</b>	+2 +3	(262) 103 <b>Lr</b>	+3

**KEY**

Atomic Mass → 12.011 ← Selected Oxidation States  
 Symbol → **C**  
 Atomic Number → 6  
 Electron Configuration → 2-4

Relative atomic masses are based on  $^{12}\text{C} = 12$  (exact)

**Note:** Numbers in parentheses are mass numbers of the most stable or common isotope.

\*denotes the presence of (2-8-) for elements 72 and above

\*\*The systematic names and symbols for elements of atomic numbers 113 and above will be used until the approval of trivial names by IUPAC.

**Table S**  
**Properties of Selected Elements**

<b>Atomic Number</b>	<b>Symbol</b>	<b>Name</b>	<b>First Ionization Energy (kJ/mol)</b>	<b>Electro-negativity</b>	<b>Melting Point (K)</b>	<b>Boiling* Point (K)</b>	<b>Density** (g/cm<sup>3</sup>)</b>	<b>Atomic Radius (pm)</b>
<b>1</b>	H	hydrogen	1312	2.2	14	20.	0.000082	32
<b>2</b>	He	helium	2372	—	—	4	0.000164	37
<b>3</b>	Li	lithium	520.	1.0	454	1615	0.534	130.
<b>4</b>	Be	beryllium	900.	1.6	1560.	2744	1.85	99
<b>5</b>	B	boron	801	2.0	2348	4273	2.34	84
<b>6</b>	C	carbon	1086	2.6	—	—	—	75
<b>7</b>	N	nitrogen	1402	3.0	63	77	0.001145	71
<b>8</b>	O	oxygen	1314	3.4	54	90.	0.001308	64
<b>9</b>	F	fluorine	1681	4.0	53	85	0.001553	60.
<b>10</b>	Ne	neon	2081	—	24	27	0.000825	62
<b>11</b>	Na	sodium	496	0.9	371	1156	0.97	160.
<b>12</b>	Mg	magnesium	738	1.3	923	1363	1.74	140.
<b>13</b>	Al	aluminum	578	1.6	933	2792	2.70	124
<b>14</b>	Si	silicon	787	1.9	1687	3538	2.3296	114
<b>15</b>	P	phosphorus (white)	1012	2.2	317	554	1.823	109
<b>16</b>	S	sulfur (monoclinic)	1000.	2.6	388	718	2.00	104
<b>17</b>	Cl	chlorine	1251	3.2	172	239	0.002898	100.
<b>18</b>	Ar	argon	1521	—	84	87	0.001633	101
<b>19</b>	K	potassium	419	0.8	337	1032	0.89	200.
<b>20</b>	Ca	calcium	590.	1.0	1115	1757	1.54	174
<b>21</b>	Sc	scandium	633	1.4	1814	3109	2.99	159
<b>22</b>	Ti	titanium	659	1.5	1941	3560.	4.506	148
<b>23</b>	V	vanadium	651	1.6	2183	3680.	6.0	144
<b>24</b>	Cr	chromium	653	1.7	2180.	2944	7.15	130.
<b>25</b>	Mn	manganese	717	1.6	1519	2334	7.3	129
<b>26</b>	Fe	iron	762	1.8	1811	3134	7.87	124
<b>27</b>	Co	cobalt	760.	1.9	1768	3200.	8.86	118
<b>28</b>	Ni	nickel	737	1.9	1728	3186	8.90	117
<b>29</b>	Cu	copper	745	1.9	1358	2835	8.96	122
<b>30</b>	Zn	zinc	906	1.7	693	1180.	7.134	120.
<b>31</b>	Ga	gallium	579	1.8	303	2477	5.91	123
<b>32</b>	Ge	germanium	762	2.0	1211	3106	5.3234	120.
<b>33</b>	As	arsenic (gray)	944	2.2	1090.	—	5.75	120.
<b>34</b>	Se	selenium (gray)	941	2.6	494	958	4.809	118
<b>35</b>	Br	bromine	1140.	3.0	266	332	3.1028	117
<b>36</b>	Kr	krypton	1351	—	116	120.	0.003425	116
<b>37</b>	Rb	rubidium	403	0.8	312	961	1.53	215
<b>38</b>	Sr	strontium	549	1.0	1050.	1655	2.64	190.
<b>39</b>	Y	yttrium	600.	1.2	1795	3618	4.47	176
<b>40</b>	Zr	zirconium	640.	1.3	2128	4682	6.52	164

Atomic Number	Symbol	Name	First Ionization Energy (kJ/mol)	Electro-negativity	Melting Point (K)	Boiling* Point (K)	Density** (g/cm <sup>3</sup> )	Atomic Radius (pm)
41	Nb	niobium	652	1.6	2750.	5017	8.57	156
42	Mo	molybdenum	684	2.2	2896	4912	10.2	146
43	Tc	technetium	702	2.1	2430.	4538	11	138
44	Ru	ruthenium	710.	2.2	2606	4423	12.1	136
45	Rh	rhodium	720.	2.3	2237	3968	12.4	134
46	Pd	palladium	804	2.2	1828	3236	12.0	130.
47	Ag	silver	731	1.9	1235	2435	10.5	136
48	Cd	cadmium	868	1.7	594	1040.	8.69	140.
49	In	indium	558	1.8	430.	2345	7.31	142
50	Sn	tin (white)	709	2.0	505	2875	7.287	140.
51	Sb	antimony (gray)	831	2.1	904	1860.	6.68	140.
52	Te	tellurium	869	2.1	723	1261	6.232	137
53	I	iodine	1008	2.7	387	457	4.933	136
54	Xe	xenon	1170.	2.6	161	165	0.005366	136
55	Cs	cesium	376	0.8	302	944	1.873	238
56	Ba	barium	503	0.9	1000.	2170.	3.62	206
57	La	lanthanum	538	1.1	1193	3737	6.15	194
<b>Elements 58–71 have been omitted.</b>								
72	Hf	hafnium	659	1.3	2506	4876	13.3	164
73	Ta	tantalum	728	1.5	3290.	5731	16.4	158
74	W	tungsten	759	1.7	3695	5828	19.3	150.
75	Re	rhenium	756	1.9	3458	5869	20.8	141
76	Os	osmium	814	2.2	3306	5285	22.587	136
77	Ir	iridium	865	2.2	2719	4701	22.562	132
78	Pt	platinum	864	2.2	2041	4098	21.5	130.
79	Au	gold	890.	2.4	1337	3129	19.3	130.
80	Hg	mercury	1007	1.9	234	630.	13.5336	132
81	Tl	thallium	589	1.8	577	1746	11.8	144
82	Pb	lead	716	1.8	600.	2022	11.3	145
83	Bi	bismuth	703	1.9	544	1837	9.79	150.
84	Po	polonium	812	2.0	527	1235	9.20	142
85	At	astatine	—	2.2	575	—	—	148
86	Rn	radon	1037	—	202	211	0.009074	146
87	Fr	francium	393	0.7	300.	—	—	242
88	Ra	radium	509	0.9	969	—	5	211
89	Ac	actinium	499	1.1	1323	3471	10.	201
<b>Elements 90 and above have been omitted.</b>								

\*boiling point at standard pressure

\*\*density of solids and liquids at room temperature and density of gases at 298 K and 101.3 kPa

— no data available

Source: *CRC Handbook for Chemistry and Physics*, 91<sup>st</sup> ed., 2010–2011, CRC Press

**Table T**  
**Important Formulas and Equations**

<b>Density</b>	$d = \frac{m}{V}$	$d$ = density $m$ = mass $V$ = volume
<b>Mole Calculations</b>	number of moles = $\frac{\text{given mass}}{\text{gram-formula mass}}$	
<b>Percent Error</b>	% error = $\frac{\text{measured value} - \text{accepted value}}{\text{accepted value}} \times 100$	
<b>Percent Composition</b>	% composition by mass = $\frac{\text{mass of part}}{\text{mass of whole}} \times 100$	
<b>Concentration</b>	parts per million = $\frac{\text{mass of solute}}{\text{mass of solution}} \times 1000000$	
	molarity = $\frac{\text{moles of solute}}{\text{liter of solution}}$	
<b>Combined Gas Law</b>	$\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$	$P$ = pressure $V$ = volume $T$ = temperature
<b>Titration</b>	$M_A V_A = M_B V_B$	$M_A$ = molarity of H <sup>+</sup> $M_B$ = molarity of OH <sup>-</sup> $V_A$ = volume of acid $V_B$ = volume of base
<b>Heat</b>	$q = mC\Delta T$ $q = mH_f$ $q = mH_v$	$q$ = heat $m$ = mass $C$ = specific heat capacity $\Delta T$ = change in temperature $H_f$ = heat of fusion $H_v$ = heat of vaporization
<b>Temperature</b>	$K = ^\circ C + 273$	$K$ = kelvin $^\circ C$ = degree Celsius